

Think smart. Think cool. Think Mirage.

hvacmirage.us

Job name:
///
Location:
Engineer:
Submitted to:
Submitted by:
Reference:
Approval:
Date:
Construction:
Unit #:
Drawing #:


Submittal Page

Model: Multizone CASSETTE 9k 220 - CVMH091B

WAY CASSE	TTE	
Model		CVMH091B
Power supply Ph / V / H		1-208~230-60
Cooling / Heating		9,000 / 9,895
Min. Circuit ampacity		1.2
	А	15
Input	W	45
RLA	А	0.5
Speed (Hi/Mi/Lo)	RPM	600/520/460
Indoor air flow (Hi/Mi/Lo)		353/306/271
Indoor noise level (Hi/Mi/Lo)		43/39/36
Dimension(W*D*H)	inch	22.4x22.4x10.2
Pannel size	inch	25.5x25.5x1.97
Body Net/Gross weight	lbs	32 / 38
Pannel	lbs	6/10
Net/Gross weight		
Refrigerant piping Liquid side/ Gas side		1/4 - 3/8
Operation temperature		62~86
	Input RLA Speed (Hi/Mi/Lo) Hi/Mi/Lo) El (Hi/Mi/Lo) Dimension(W*D*H) Pannel size Body Net/Gross weight Pannel Net/Gross weight g Liquid side/ Gas side	A A Input RLA Speed (Hi/Mi/Lo) RPM Hi/Mi/Lo) CFM Hi/Mi/Lo) Dimension(W*D*H) Pannel size Body Net/Gross weight Pannel Net/Gross weight Patinular inch Ibs Pannel Net/Gross weight Pannel Net/Gross weight Ibs

Model: Multizone CASSETTE 9k 220 - CVMH091B







Think smart. Think cool. Think Mirage.

hvacmirage.us

Job name:
Location:
_/ //
Engineer:
Submitted to:
Submitted by:
Reference:
Approval:
Date:
Construction:
Unit #:
Drawing #:


Submittal Page

Model: Multizone CASSETTE 12k 220 - CVMH121B

FOLID	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
FOUR	WAY CASSE	:IIE	
Model		CVMH121B	
Power supply		Ph/V/Hz	1-208~230-60
Cooling / Heating		BTU	12,000 / 12,966
Min. Circuit ampacity		Α	1.2
Max Fuse		А	15
Fan Motor	Input	W	45
	RLA	А	0.5
	Speed (Hi/Mi/Lo)	RPM	600/520/460
Indoor air flow (Hi/Mi/Lo)		CFM	447/384/311
Indoor noise level (Hi/Mi/Lo)		dB(A)	48/43/41
	Dimension(W*D*H)	inch	22.4x22.4x10.2
	Pannel size	inch	25.5x25.5x1.97
Indoor unit	Body Net/Gross weight	lbs	35 / 41
	Pannel	lbs	6/10
	Net/Gross weight		
Refrigerant piping Liquid side/ Gas side		inch	1/4 - 3/8
Operation temperature		F°	62~86

Model: Multizone CASSETTE 12k 220 - CVMH121B







hvacmirage.us

Job name:
///
Location:
Engineer:
Submitted to:
Submitted by:
Reference:
Approval:
Date:
Construction:
Unit #:
Drawing #:


Submittal Page

Model: Multizone CASSETTE 18k 220 - CVMH181B

FOUF	R WAY CASSE	ETTE	
Model			CVMH181B
Power supply		Ph/V/Hz	1-208~230-60
Cooling / Heating		BTU	18,000 / 18,767
Min. Circuit amp	pacity	Α	1.9
Max Fuse		Α	15
	Input	W	45
Fan Motor	RLA	А	1.0
	Speed (Hi/Mi/Lo)	RPM	730/630/570
Indoor air flow (Hi/Mi/Lo)		CFM	563/486/439
Indoor noise lev	rel (Hi/Mi/Lo)	dB(A)	48/43/41
	Dimension(W*D*H)	inch	22.4x22.4x10.2
	Pannel size	inch	25.5x25.5x1.97
Indoor unit	Body Net/Gross weight	lbs	36 / 47
	Pannel	lbs	6/10
	Net/Gross weight		
Refrigerant pipi	ng Liquid side/ Gas side	inch	1/4 - 1/2
Operation temp	erature	F°	62~86

Model: Multizone CASSETTE 18k 220 - CVMH181B







hvacmirage.us

Job name:
Location:
_/ //
Engineer:
Submitted to:
Submitted by:
Reference:
Approval:
Date:
Construction:
Unit #:
Drawing #:

Submittal Page

Model: Multizone CASSETTE 24k 220 - CVMH241B

FOLIE	R WAY CASSE	TTE	
	WAY CASSE		
Model			CVMH241B
Power supply		Ph/V/Hz	1-208~230-60
Cooling / Heating		BTU	24,000 / 25,591
Min. Circuit ampacity		A	2.5
Max Fuse		A	15
Fan Motor	Input	W	58
	RLA	А	1.5
	Speed (Hi/Mi/Lo)	RPM	600/520/450
Indoor air flow (Hi/Mi/Lo)		CFM	684/613/540
Indoor noise lev	el (Hi/Mi/Lo)	dB(A)	51/47/43
Indoor unit	Dimension(W*D*H)	inch	33.1x33.1x8.1
	Pannel size	inch	37.4x37.4x2.17
	Body Net/Gross weight	lbs	47 / 55
	Pannel	lbs	11 / 18
	Net/Gross weight		
Refrigerant pipi	ng Liquid side/ Gas side	inch	3/8 - 5/8
Operation temperature		F°	62~86

Model: Multizone CASSETTE 24k 220 - CVMH241B



